



UNIVERSITY OF WISCONSIN AGRONOMY, SOYBEAN RESEARCH, UNIVERSITY OF WISCONSIN-EXTENSION

Intensive Winter Wheat Management - 2018

Shawn Conley, State Soybean and Small Grains Specialist

John Gaska, Senior Outreach Specialist, Adam Roth, Program Manager, and Spyridon Mourtzinis, Post-doctoral researcher, Agronomy. Damon Smith, Field Crops Plant Pathologist and Brian Mueller, Asst. Researcher, Plant Pathology

A research trial was initiated at the Arlington Agricultural Research Station to assess the impact of various management levels (Table 1) on the yield, grain quality, and disease incidence on 14 soft red winter wheat varieties. Management levels were stair-stepped with increasing intensity of inputs. Each management step increased yield, however growers should verify individual farm gate input prices to see if yield increases had a positive ROI.

Table 1. Management treatments at three levels.

	Management Treatments		
	Current	MidLevel	HighLevel
Base seed treatment	Same variety/treatment at all levels. See Table 2.		
Base herbicide (16-May)	Huskie 15 fl oz/a	Huskie 15 fl oz/a	Huskie 15 fl oz/a
Seeding rate (million seeds/a)	1.50	1.75	2.00
Nitrogen (lbs N/a) (25-Apr + 14-May)	55	55+30 split	110+30 split
Growth regulator @ F6 (16-May)			Palisade 12 fl oz/a
Micronutrients @ F9 (25-May)			TakeOff Phite MZ (3-20-7+Mn+Zn) 32 fl oz/a EB Mix (N,S,B,Mn, Fe,Zn) 64 fl oz/a
Fungicide @ F9 (25-May)			Trivapro 13.7 fl oz/a
Micronutrients @ F10.5.1 (4-June)			TakeOff Phite 32 fl oz/a
Fungicide @ F10.5.1 (4-June)		Miravis Ace 13.7 fl oz/a	Miravis Ace 13.7 fl oz/a

Table 2. Fungicidal, insecticidal, and biological seed treatments used in this study.

Brand	Variety	Seed treatment
Croplan	SRW9606	Nitro Shield IV, Warden Cereals II
FS Seed	FS624	CruiserMaxx, Vibrance
Kratz Farms	Kratz 15241	Cruiser 5FS, Vibrance Extreme
PIP	PIP 735	Charter, imidacloprid
PIP	PIP 776	Charter, imidacloprid
Pro Seed Genetics	Pro 260	CeresUS
Pro Seed Genetics	Pro 320A	Vibrance Extreme
Pro Seed Genetics	Pro 380	CeresUS
Pro Seed Genetics	Pro 410	CeresUS
Syngenta	SY 547	CruiserMaxx, Vibrance
Public	Harpoon	Warden Cereals II
Public	Red Devil	Warden Cereals II
Public	Sunburst	Cereus Trio, Cruiser 5FS, Release LC
Public	Whale	CeresUS

Table 3. Materials and methods.

Year:	2017-2018	
Expt. No.	18085	
Title:	Intensive Wheat Management	
Personnel:	Shawn Conley, John Gaska, Adam Roth, Spyridon Mourtzinis, Brian Mueller, and Damon Smith	
Organization:	University of Wisconsin-Madison, Depts. of Agronomy and Plant Pathology	
Supported by:	Wisconsin Crop Improvement Association	
Location:	Arlington Agricultural Research Station, Arlington, WI	
FIELD INFORMATION		
Field:	248C	
Previous Crop:	Soybean	
Tillage:	No-tillage	
EXPERIMENTAL PROCEDURE		
Exp. Design:	RCB Split plot	
Replicates:	4	
Variables:	3 management levels 14 varieties	
Plot Size:	Planted: 8' x 25'	Harvested: 5' x 21'
Row Spacing:	7.5"	
Cultivars:	14 varieties	
Planting:	Date: 25-Sep-17	Equipment: No till plot planter
	Rate: variable with treatment	Depth: 1"
Harvesting:	Date: 18-Jul-18	Equipment: 1999 Almaco SPC-40 plot combine




Figure 1. Winter wheat yield among 14 varieties and three management levels. Means separation shown in Table 4.

Table 4. Selected main effects and interactions of management level and variety on yield, plant characteristics, and disease.

Management	Brand	Variety	Grain yield bu/a	Test weight lbs/bu	Straw yield tons DM/a	Fusarium head scab		DON ² ppm	Means separation for yield ¹
						Incidence %	Severity %		
	Croplan	SRW9606		55.0				1.31	
	FS Seed	FS624		58.4				0.80	
	Kratz Farms	Kratz 15241		57.8				0.21	
	PiP	PIP 735		57.2				0.47	
	PiP	PIP 776		57.4				0.79	
	Pro Seed Genetics	Pro 260		54.8				1.51	
	Pro Seed Genetics	Pro 320A		56.7				0.58	
	Pro Seed Genetics	Pro 380		58.9				0.26	
	Pro Seed Genetics	Pro 410		57.1				0.92	
	Syngenta	SY 547		57.9				0.90	
	Public	Harpoon		55.3				0.40	
	Public	Red Devil		59.2				1.08	
	Public	Sunburst		59.7				1.36	
	Public	Whale		57.4				1.67	
Current				55.6	0.78	2.2	8.6	1.26	
MidLevel				57.8	1.03	1.1	2.6	.527	
HighLevel				58.6	1.10	1.0	2.5	.655	
Current	Croplan	SRW9606	87.3						G H I J K
Current	FS Seed	FS624	87.2						G H I J K
Current	Kratz Farms	Kratz 15241	87.3						G H I J K
Current	PiP	PIP 735	101.0						B C D F G H I J
Current	PiP	PIP 776	92.3						D F G H I J K
Current	Pro Seed Genetics	Pro 260	86.6						H I J K
Current	Pro Seed Genetics	Pro 320A	85.1						I J K
Current	Pro Seed Genetics	Pro 380	88.3						F G H I J K
Current	Pro Seed Genetics	Pro 410	90.8						F G H I J K
Current	Syngenta	SY 547	97.6						C D F G H I J K
Current	Public	Harpoon	90.8						F G H I J K
Current	Public	Red Devil	83.9						J K
Current	Public	Sunburst	82.6						K
Current	Public	Whale	98.4						C D F G H I J K

Continued next page




Figure 2. Winter wheat plant height among 14 varieties and three management levels.




Figure 3. Winter wheat thousand kernel weight (TKW) among 14 varieties and three management levels.